



- CRI 80
- CRI 90
- IP 20
- IES
- 5 WARRANTY
-
-
-
-
-

Thor II

Litenet presents Spot Lite Kinetix which offers a range of track lights that are designed for commercial lighting applications. The Thor II is a track light thats finished in satin white or matt black powdercoat finish. this fitting is fitted with CREE COB technology. The heat sink and the trim is constructed with high grade aluminum to maximise heat dissapation.

The Thor II is available with non dim or DALI dim electronic ballast


50,000 hour L70 5year warranty.

Part No	T410.830.3 / T410.840.3	T415.830.3 / T415.840.3	T420.830.3 / T420.840.3	T430.830.3 / T430.840.3
Power	10W	15W	20W	30W
Beam Angle	10° 24° 38° 60°	10° 24° 38° 60°	10° 24° 38° 60°	10° 24° 38° 60°
CRI	CR180	CR180	CR180	CR180
CCT	3000K / 4000K	3000K / 4000K	3000K / 4000K	3000K / 4000K
luminous flux	980lm / 1127lm	1470m / 1690lm	1960lm / 2254lm	2940lm / 3250lm


Track System



0310
1M track actual one meter.(1000mm)
0320
2M track actual two meter.(2000mm)
0330
3M track actual three meter.(3000mm)
Colour
White/Black




0331
Live-end connector
To start a run
Colour
White/Black



0332
End cap connects
To the track sections end
Colour
White/Black




0333
Mini joiner
A low profile connect to join two
Colour
White/Black




0334
Straight connector
To connect two track sections end-to-End.it provides a center feed option
Colour
White/Black



0335
“L” connector
To connect two track sections at a 90° angle
Colour
White/Black




0336
“T” connector
To connect three track sections into a T configuration
Colour
White/Black






0337
 “+” Connector
 To connect four track sections into a cross configuration
 Colour
 White/Black




0339
 Flexible connector
 To connect two track sections at any Angle up to 90° or wall to ceiling or Pitched ceiling applications
 Colour
 White/Black




0410
 1M track actual one meter.(1000mm)
0420
 2M track actual two meter.(2000mm)
0430
 3M track actual three meter.(3000mm)
 Colour
 White/Black




0431 L
 Live-end connector
 To start a run
 Colour
 White/Black



0432
 End cap connects
 To the track sections end
 Colour
 White/Black



0433
 Mini joiner
 A low profile connect to join two Two straight track sections end-to-end
 Colour
 White/Black



0434
 Straight connector
 To connect two track sections end-to-end.it provides a center feed option
 Colour
 White/Black

